# Negative Consequences

**Please respond to each item by marking one box per row.**

| | | Yes | No | |
|---|---|---|---|---|
| Alcohol Screener | For the past 30 days, did you drink any type of alcoholic beverage? | ☐ 1 | ☐ 2 | This item is a screening item. If a participant says Yes, s/he should then be administered the CAT. If a participant says No, s/he should skip the CAT. |

**In the past 30 days…**

| | | Never | Rarely | Sometimes | Often | Almost always |
|---|---|---|---|---|---|---|
| NECO01 | I worried when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO02 | I felt angry when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO03 | I felt nervous when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO04 | My problems seemed worse when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO05 | I had trouble keeping appointments after I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO06 | I got confused when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO07 | I took risks when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO08 | I was critical of myself when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO09 | I felt guilty when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO10 | I had a headache after I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO11 | I got sick when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO12 | I felt anxious when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |


© 2008-2016 PROMIS Health Organization and PROMIS Cooperative Group

| | **In the past 30 days…** | **Never** | **Rarely** | **Sometimes** | **Often** | **Almost always** |
|---|---|---|---|---|---|---|
| NECO13 | I was clumsy when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO14 | I was unreliable after I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO15 | Others complained about my drinking..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO16 | I was criticized about my drinking ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO17 | I got in an argument when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO18 | I was loud when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO19 | I felt sad when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO20 | Drinking created problems between me and others..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO21 | I said or did embarrassing things when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO22 | I lied about my drinking..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO23 | I disappointed others when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO24 | Others had trouble counting on me when I drank..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO25 | I looked sloppy when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO26 | I felt dizzy after I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |


© 2008-2016 PROMIS Health Organization and PROMIS Cooperative Group

| | In the past 30 days… | Never | Rarely | Sometimes | Often | Almost always |
|---|---|---|---|---|---|---|
| NECO27 | I had a hangover after I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO28 | I used poor judgment when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO29 | I had trouble getting things done after I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO30 | I was inconsiderate when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |
| NECO31 | I had trouble trusting other people when I drank ..... | ☐ 1 | ☐ 2 | ☐ 3 | ☐ 4 | ☐ 5 |


© 2008-2016 PROMIS Health Organization and PROMIS Cooperative Group